CTA D T 9613428.1677

0043960

LK5835 2

Lockheed Environmental Systems & Technologies Co.
Lockheed Analytical Services
975 Kelly Johnson Drive Las Vegas, Nevada 89119-3705
Telephone 702-361-0220 800-582-7605 Facsimile 702-361-8146

LOCKHEED MARTIN

December 15, 1995

Ms. Joan Kessner Bechtel Hanford, Inc. P.O. Box 969 1022 Lee Boulevard Richland, WA 99352

RE: L

Log-in No.:

Quotation No.:

SAF:

Document File No.:

BHI Document File No.:

SDG No.:

L5835 Q400000-B B96-035 1114596 296

LK5835



The attached data report contains the analytical results of samples that were submitted to Lockheed Analytical Services on 14 November 1995.

The temperature of the cooler upon receipt was 2°C. Sample containers received agree with the chain-of-custody documentation. Sample containers were received intact. Samples designated for Hexavalent chromium analysis were not received in time to meet the analytical holding time requirements.

The case narratives included in the following attachments provide a detailed description of all events that occurred during sample preparation, analysis, and data review specific to the samples and analytical methods requested.

A list of data qualifiers, chain-of-custody forms, sample receiving checklist, and log-in report are also enclosed representing the samples received within this group.

If you have any questions concerning the analysis or the data please call Kathleen Hall at (509) 375-4741.

Lockheed Analytical Services

Log-in No.: L5835

Quotation No.: Q400000-B

SAF: B96-035

Document File No.: 1114596 BHI Document File No.:296

SDG No.: LK5835

Page 1

Release of this data report has been authorized by the Laboratory Director or the Director's designee as evidenced by the following signature.

" I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manger or a designee, as verified by the following signature."

Sincerely,

Kathleen M. Hall

Client Services Representative

cc: Client Services

Document Control

Lockheed Analytical Services

Log-in No.: L5835

Quotation No.: Q400000-B

SAF: B96-035

Document File No.: 1114596 BHI Document File No.:296

SDG No.: LK5835

Page2

CASE NARRATIVE INORGANIC NON METALS ANALYSES

The routine calibration and quality control analyses performed for this batch include as applicable: initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

• Two water samples were received for LK5835 and analyzed in batch 1114 bh for selected analytes as requested on the chain of custody. Quality control analysis was performed on the following samples:

Client ID	LAL#		Method
BOGRM5	L5835-5	MS, DUP	7196 Chromium (VI)

Holding Time Requirements

 All samples were received outside of the method-specific holding time and are flagged with an "H".

Method Blanks

 The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

All Internal Quality Control were within acceptance limits.

Kay McCann Prepared By November 27, 1995

Date

Lockheed Analytical Services

Log-in No.: L5835

Quotation No.: Q400000-B

SAF: B96-035

Document File No.: 1114596
BHI Document File No.:296

SDG No.: LK5835

Page3

CASE NARRATIVE INORGANIC METALS ANALYSES

The routine calibration and quality control analyses performed for this batch include as applicable: instrument tune (ICP/MS only), initial and continuing calibration verification, initial and continuing calibration blanks, method blank(s), laboratory control sample(s), ICP interference check samples (ICP only), serial dilutions, analytical (post-digestion) spike samples, matrix spike (predigestion) sample(s), duplicate sample(s).

Preparation and Analysis Requirements

All samples were received on November 14, 1995. The samples were logged in as L5835 and were prepared and analyzed in batch 1114 bh.

Holding Time Requirements

All samples were analyzed within the method-specific holding times.

Method Blanks

 The concentration levels of all the requested analytes in the method blank were below the reporting detection limits.

Internal Quality Control

All Internal Quality Control were within acceptance limits.

Shellee McGrath

Prepared By

December 15, 1995

Date

LOCKHEED ANALYTICAL SERVICES LOGIN CHAIN OF CUSTODY REPORT (1n01) NOV 14 1995, 11:18 am

Login Number: L5835 Account: 596 Bechtel Hanford, Inc. * Richland, WA Project: BECHTEL-HANFORD Bechtel Hanford Project Account: 596

Laborator Sample Nu		Client Sample Number	Collect Receive Due Date Date PR Date
L5835-1 TEMP 2	167	BOGRM5	10-NOV-95 14-NOV-95 19-DEC-95
Location: Water	157 1	CREENING H	old:08-MAY-96
L5835-2 TEMP 2 Location:	157	BOGRM6	10-NOV-95 14-NOV-95 19-DEC-95
Water	1	CREENING H	old:08-MAY-96
L5835-3~~ TEMP 2 Location:	157	BOGRM5	10-NOV-95 14-NOV-95 19-DEC-95
Water	1	18.2 CHROMIUM H	old:08-MAY-96
L5835-4 TEMP 2 Location:	157	BOGRM6	10-NOV-95 14-NOV-95 19-DEC-95
Water	1	18.2 CHROMIUM H	Old:08-MAY-96
L5835-5 TEMP 2 Location:	157	BOGRM5	10-NOV-95 14-NOV-95 19-DEC-95
Water	1	196 CHROMIUM (VI) H	Iold:11-NOV-95
L5835-6 TEMP 2 Location:	157	BOGRM6	10-NOV-95 14-NOV-95 19-DEC-95
Water	1	196 CHROMIUM (VI) H	Iold:11-NOV-95
L5835-7 Location:		REPORT TYPE	14-NOV-95 14-NOV-95 19-DEC-95
Water Water Water	1 1 1	DD - DISK DEL. ERMANN NORG TYPE 2 RPT	

Page 1

Signature:

Date: 11-14-95

0010

1114546

	Bechtel Hanford, Inc.		СН	IAIN OF CUSTO	DY/SAM	MPLE AI	NALYSIS R	EQUEST	583	35	Data Turnai		1_
7	Collector			Company Contact		·		Telepho	ne			Priority	-
1	C. Trapp			B. D. Blumenkranz				(509) 3				Normal	
	Project Designation 100-HR-3 Pump and Treatmen	t		Sampling Location 100-HR-3 Pump and	Treat			SAF No B96-03				-	
_	ce Chest No.			Field Logbook No.				Method	of Shipment	·-··			•
L	GWS-026			NA				Federal					
	Shipped To Lockheed			Offsite Property No.	7-0640) _ OŒ		Bill of L	ading/Air Bill I	^{No.} 70464 <i>6</i> 0	787		-
L.	Possible Sample Hazards/Rema	arks			1	T	T			10 1616C	701	——т	
				Preservation	HNO,	Cool 4°C	None						
				Type of Container	P/G	P/G	Р						S
				No. of Container(s)	1	1	1 1						
	Special Handling and/or Storag Maintain samples between 2°0			Volume	500mL	500mL	20mL						
	SAMPL	E ANALYSIS	3		Chronium - Total	Chrom- ium VI	Activity Scan						200
t	Sample No.	Matrix*	Date Sampled	Time Sampled		1						1	-
	BO 4 R M 5	w	11/10/75	1007	入	人	入						
	BOG RMG	W	11/0/15	1015	1	X	X						
	CHAIN OF POSSESSION	· · · · · · · · · · · · · · · · · · ·	Sign/Print	Names		SPECIAL	INSTRUCTIONS					Metrix*	
	Reinfright By Gran I	Date/Time 1/13/15 Date/Time 1/-13- Date/Time	1000 Received By	B.Whften 1/-13 Date/Ti								SE = Sedi SO = Solid SL = Stud W = Wat O = Oil A = Air OS = Drur DL = Drur T = Tissi	iment d dge ter m Solide m Liquids
1	⊢	Date/Time	Received By	Date/Ti	ime		•					VVI = Wipe L = Liqu V = Veg X = Othe	iid jetation
7	LABORATORY Received SECTION	By Llmi	ll	Title Sample Custodi					11-14-9	Date/Time	40		
?	FINAL SAMPLE Disposal DISPOSITION					sposed By			C	Date/Time			

Restoration Contractor ERC Team
Interoffice Memorandum

Job No. 22192

Witten Response Required: NO
CCRI: N/A
OU: (COMERA)
TIDE: N/A
ERA: N/A
Rabbert Code: 5680

10:

Dave Blumenkranz

H4_90

DATE

April 26, 1995

COPIES:

Doug Bowers

N3-05

HOM:

Mike Wesselman Radiological Controls

N3-06/376-2084

Post-it® Fax Note 7671	Date 5/1 # of > 1
D. Bowers	From D. Blumenkranz
COJDEPL ITH SAMO.	ca CHI/ESS
Phone 376 - 1007	Phone *372-9658
Fax 376.5991	Fax #

EXEMPTION OF SAMPLES FROM 100-HR-3 PUMP AND TREAT FROM TOTAL ACTIVITY ANALYSIS.

After reviewing sampling data recorded on GeoDat as well as data from the latest resin change at the unit, it has been concluded that there is no need to perform total activity analysis of water sample from 100-HR-3 prior to offsite shipment. Water from all wells in the area is well below levels which would deliver 100 millirem per year CEDE to any one drinking two liters a day, no water exceeds the 2000 picocurie per gram limit for shipment as non radioactive by Department of Transportation. Activity trends in all wells have been downward for the last twenty years. Sample from the pump and treat system itself indicate less than six picocuries per gram of tritium and less than ten picocuries per liter of both alpha and beta contamination. All discharges of radioactive material to the ground in the 100-D Area have ceased, the actions of the pump and treat system do not appear to be mobilizing previously deposited materials. Based on the above information and the results of total activities performed to date, there is sufficient process knowledge to conclude that preshipment screening of water samples is no longer required.

Mike Wesselman

maw

Distribution

0012

1114546

SAMPLE CHECK-IN LIST

Date/	Time Received: 11-14-95 / 9:45a-	S	DG#:	1117		_	
Work	Order Number: 1764	S	AF #:_	B96"	035	→	
Shipp	ing Container ID: //uz Chain	of C	ustody	1 0	,2		
1.	Custody Seals on shipping container int	act?		Yes	[X]	No	[]
2.	Custody Seals dated and signed?			Yes	[]	No	[]
3.	Sample temperature						
4.	Vermiculite/packing materials is			Wet	[]	Dry	[*]
5.	Each sample is in a plastic bag?			Yes	[4]	No	[]
6.	Sample holding times exceeded?			Yes	[x]	No	[]
8.		leaki have	ing air bul	bbles			,
9.	Is the information on the COC and Sampl Yes[x] No S: Chronium Fil was pecanos Pass	[]			ent?		
-Teles	te Custodian/Laboratory: Ale Jan /L phoned To: Agrifley Holl On 11-14-9	/ N/S	Dat By		14-4 Day	5	

LOCKHEED MARTIN

Sample Login Login Review Checklist

Lot Number 25835

The login review should be conducted by that person logging in the samples as well as a peer. Please use this checklist to ensure that such reviews occur in a uniform basis. Please sign and date below to verify that a login review has occurred. This checklist should be affixed to each login package prior to distribution.

For effective login review, at a minimum, five reports form the login process are required. These are the COC (or equivalent), the login COC report, the sample summary report, the sample receiving checklist, and the login quotation. Before beginning review, ensure that these five components are available. Jobs with single component samples, the sample summary report may be omitted.

SAMPLE SUMMARY REPORT	<u>YES</u>	NO	N/A	Comment
1. Are all sample ID's correct?	X	_	_	
2. Are all samples present?	X			
3. Are all matrices indicated correctly?	X			-
4. Are all analyses on the COC logged in for the appropriate samples?	<u>X.</u>			
5. Are all analyses logged in for the correct container?	Υ	_		
6. Are samples logged in according to LAS batching procedures?	<u>×</u>			
LOGIN CHAIN OF CUSTODY	<u>YES</u>	NO	<u>N/A</u>	Comment
1. Are the collect, receive, and due dates correct for every sample?	<u>X</u>			
2. Have all appropriate comments been indicated in the comment section?	X _			
SAMPLE RECEIVING CHECKLIST	YES	<u>NO</u>	N/A	Comment
1. Are all discrepancies between the COC and the login noted (if applicable)?			X	

1114546

Lockheed Analytical Services Sample Receiving Checklist

Client Name: BCCKTPL - Hartain	Job No.	45835	Cooler ID:
COOLER CONDITION UPON RECEIPT			
Temperature of cooler upon receipt:			
temperature of temp. blank upon receipt:			
temperature of temp. Static upon receipt.	Yes	No	Comments/Discrepancies
custody seals intact chain of custody present	X		
blue ice (or equiv.) present/frozen ./	<u>X</u>		
rad survey completed	<u> </u>		
rad survey completed	X		
SAMPLE CONDITION UPON RECEIPT			
	Yes	No	Comments/Discrepancies
all bottles labeled	X		
samples intact	Х		
proper container used for sample type	X		
sample volume sufficient for analysis	×		
proper pres. indicated on the COC	X		
VOA's contain headspace		1.2	
are samples bi-phasic (if so, indicate sample ID'S):			
MISCELLANEOUS ITEMS			
	Yes	No	Comments/Discrepancies
samples with short holding times	X	c Ho	morion Iti, was second passed theling
samples to subcontract		Just Tio	
ADDITIONAL COMMENTS/DISCREPANCIES			
ADDITIONAL CONNECTION DIOCKET ANCIES			
Completed by / date:	1/-1	4-95	
Sent to the client (date/initials):			gnature upon receipt:
Notes: * = contact the appropriate CSR of any discrepancies immediately up	on rocelet		
		1-9146	
* replease review this information and return via facsimilie to the appropria	100 COR (704) 30)	1-0470	
0			

Lockheed Analytical Laboratory SAMPLE SUMMARY REPORT (su02) Bechtel Hanford, Inc. * Richland, WA

Client	LAL	SDG	Method
Sample Number	Sample Number	Number Matrix	
BOGRM5 -	L5835-1	Water	SCREENING -
	L5835-3	Water	218.2 CHROMIUM -
	L5835-5	Water	7196 CHROMIUM (VI
BOGRM6 ~	L5835-2	Water	SCREENING -
	L5835-4	Water	218.2 CHROMIUM -
	L5835-6	Water	7196 CHROMIUM (VI
REPORT TYPE _	L5835-7	Water	EDD - DISK DEL
	L5835-7	Water	INORG TYPE 2 RPT

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: BOGRM5	Date Collected: 10-NOV-95
Matrix: Water	Date Received: 14-NOV-95
Percent Solids: N/A	

Constituent	Units	Method		Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, hexavalent	mg/L	7196	0.69	0.10	HD(1:5)	15-NOV-95	30269	L5835-5

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: BOGRM6	Date Collected: 10-NOV-95
Matrix: Water	Date Received: 14-NOV-95
Percent Solids: N/A	

Constituent	Units	Method	Result	Project Reporting Limit	Data Qualifier(s)	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, hexavalent	mg/L	7196	0.47	0.040	HD(1:2)	15-NOV-95	30269	L5835-6

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: B0GRM5 Date Collected: 10-NOV-95

Matrix: Water Date Received: 14-NOV-95

Percent Solids: N/A

Constituent	Units	Method	Result	IDL	RDL	Data Qual	Dilution	Date Analyzed	LAS Batch ID	LAS Sample ID
Chromium, Total	mg/L	200.7	0.78	0.0010	0.010		1	14-DEC-95	31299	L5835-3

LOCKHEED ANALYTICAL SERVICES

Sample Results

Client Sample ID: BOGRM6 Date Collected: 10-NOV-95

Matrix: Water Date Received: 14-NOV-95

Percent Solids: N/A

Constituent	Units	Method	Result	tDL	RDL	Data Qual	Dilution		LAS Batch ID	LAS Sample ID
Chromium, Total	mg/L	200.7	0.50	0.0010	0.010		1	14-DEC-95	31299	L5835-4